

In order to achieve the points 2.5.4.C and 4.2.4.B of the ASC Trout Standard Version 1.0, our company makes a public disclosure of all antimicrobial treatments of the last production cycle:

### **Antimicrobial Treatments 2017**

Date	Product Name	Quemical Name	Reason for Use	KG-L	mT of Fish Treated	Dosage
03/04/17	FLUMESIVA	FLUMESIVA	YERSINIA RUCKERI		12.3	12g/1Kg
08/04/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	REDMOUTH	9	4.4	20g/100Kg
31/05/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	YERSINIA RUCKERI	7	3	20g/100Kg
07/06/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	YERSINIA RUCKERI	5	2.5	20g/100Kg
31/07/17	FLUMESIVA	FLUMESIVA	YERSINIA RUCKERI		3.5	12g/1Kg
05/08/17	HIPRAMOX-P	AMOXICILLIN	LACTOCOCCOSIS	2	2.5	35g/100Kg
08/08/17	RHEMOX 400G	AMOXICILLIN	LACTOCOCCOSIS	3.2	2.5	16g/100Kg
09/08/17	RHEMOX 400G	AMOXICILLIN	LACTOCOCCOSIS	5.6	3.3	16g/100Kg
08/08/17	HIPRAMOX-P	AMOXICILLIN	LACTOCOCCOSIS	0,5	3.3	0,01ml/fish
16/08/17	RHEMOX 400G	AMOXICILLIN	LACTOCOCCOSIS	9.6	5.9	16g/100Kg
21/08/17	RHEMOX 400G	AMOXICILLIN	LACTOCOCCOSIS	3.6	2.7	16g/100Kg
30/08/17	HIPRAMOX-P	AMOXICILLIN	LACTOCOCCOSIS	0.75	3.4	0,02ml/fh
07/09/17	RHEMOX 400G	AMOXICILLIN	LACTOCOCCOSIS	9.2	6.8	16g/100Kg
01/04/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	1,250	3.8	5cc/100Kg
01/04/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,750	3.8	5cc/100Kg
17/04/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,750	3.5	5cc/100Kg
24/04/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,250	1.3	5cc/100Kg
24/04/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,5	1.3	5cc/100Kg
15/05/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,250	3.5	5cc/100Kg
15/05/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,250	3.5	5cc/100Kg
05/06/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	1,5	2.8	5cc/100Kg
09/06/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	YERSINIA RUCKERI	6	2	20g/100Kg
09/06/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,3	2.5	5cc/100Kg
21/06/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	AEROMONAS	2	2.6	20g/100Kg
04/07/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	YERSINIA RUCKERI	6	3	20g/100Kg
17/07/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	1	1.7	5cc/100Kg
31/07/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	0,5	2	5cc/100Kg
24/08/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	YERSINIA RUCKERI	9	4.3	20g/100Kg
20/10/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	3.91	2.2	48g/100Kg
13/11/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	6,4	4.3	48g/100Kg
15/12/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	1,15	1.5	48g/100Kg
20/12/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	0,92	1	48g/100Kg
13/01/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	5,75	7.7	17,25/100Kg
26/01/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	REDMOUTH	19	9.6	20g/100Kg
18/03/17	SELECTAN	FLORFENICOL	FLAVOBACTERIA	2	4.8	5cc/100Kg
23/03/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	REDMOUTH	12	6	20g/100Kg
03/06/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	REDMOUTH	2	4.5	20g/100Kg
05/06/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	REDMOUTH	9	4.5	20g/100Kg
09/08/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	18,17	10	18g/100Kg
28/08/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	2,76	1.5	18g/100Kg
23/08/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	2,3	1.25	18g/100Kg
12/09/17	OXITEVALL	OXITETRACILINE	FLAVOBACTERIA	6,9	3.8	18g/100Kg
20/10/17	OXITEVALL	OXITETRACILINE	AEROMONAS	12,65	7.3	18g/100Kg
21/10/17	COTRISUL	SULFADIAZINA/TRIMETOPRIMA	AEROMONAS	3	1.8	20g/100Kg